

IN THE CLAIMS

Please amend the claims as follows:

1. (Currently Amended): A system comprising:

a device comprising an interface of a target application, the interface comprising a plurality of operations to be selected by a user;

A
a monitoring unit configured to monitor data of selecting of the plurality of operations of the interface by the user, and to generate a log of the monitored data, the log of the monitored data being stored in the device, and to automatically start the monitoring without requiring a connection to a receiving device to which the log of monitored data is to be sent, the log of the monitored data being in a form of an abstract class;

a communicating unit configured to receive an object derived from the abstract class including the log of the monitored data, and to automatically communicate the log of the monitored data by a unidirectional communication without requiring input from the device to which the log of the monitored data is to be sent.

2. (Canceled).

3. (Currently Amended): A system according to Claim 1, wherein the ~~target application~~ device is an image forming device and the interface is an operation panel of the image forming device.

4. (Currently Amended): A system according to Claim 1, wherein the ~~target application~~ device is an appliance and the interface is an operation panel of the appliance.

5. (Currently Amended): A system according to Claim 1, wherein the communicating unit sends the log of the monitored data when the user exits the device target application.

AI 6. (Original): A system according to Claim 1, further comprising a setting unit configured to set a number of sessions of the device target application to be executed by the user prior to the communicating unit communicating the log of the monitored data.

7. (Original): A system according to Claim 6, wherein the abstract class includes first and second derived classes, the first derived class storing data of one session and the second derived class storing data of the set number of sessions.

8. (Currently Amended): A system according to any one of Claims ~~1-7~~ 1 and 3-7, wherein the communicating unit communicates the log of the monitored data by Internet mail.

9. (Currently Amended): A system comprising:
a device comprising interface means of a target application means, the interface means for providing a plurality of operations to be selected by a user;
monitoring means for monitoring data of selecting of the plurality of operations of the interface means by the user, and for generating a log of the monitored data, the log of the monitored data being stored in the device, and to automatically start the monitoring without requiring a connection to a receiving device to which the log of monitored data is to be sent, the log of the monitored data being in a form of an abstract class;

communicating means for receiving an object derived from the abstract class including the log of the monitored data, and for automatically communicating the log of the monitored data by a unidirectional communication without requiring input from the device to which the log of the monitored data is to be sent.

10. (Canceled).

A1
11. (Currently Amended): A system according to Claim 9, wherein the ~~target application means~~ device is an image forming device and the interface means is an operation panel of the image forming device.

12. (Currently Amended): A system according to Claim 9, wherein the ~~target application means~~ device is an appliance and the interface means is an operation panel of the appliance.

13. (Currently Amended): A system according to Claim 9, wherein the communicating means sends the log of the monitored data when the user exits the target device ~~target application~~.

14. (Currently Amended): A system according to Claim 9, further comprising a setting means for setting a number of sessions of the device ~~target application~~ to be executed by the user prior to the communicating means communicating the log of the monitored data.

15. (Original): A system according to Claim 14, wherein the abstract class includes first and second derived classes, the first derived class storing data of one session and the second derived class storing data of the set number of sessions.

16. (Original): A system according to any one of Claims ~~9-15~~ 9 and 11-15, wherein the communicating means communicates the log of the monitored data by Internet mail.

17. (Currently Amended): A method of monitoring usage of an interface of a ~~target application device~~, the interface including a plurality of operations to be selected by a user, comprising the steps of:

AM
monitoring data of selecting of the plurality of operations of the interface by the user;
generating a log of the monitored data, the log of the monitored data being stored in the device, and to automatically start the monitoring without requiring a connection to a receiving device to which the log of monitored data is to be sent, the log of the monitored data being in a form of an abstract class; and

receiving an object derived from the abstract class including the log of the monitored data, and automatically communicating the log of the monitored data by a unidirectional communication without requiring input from the device to which the log of the monitored data is to be sent.

18. (Canceled).

19. (Currently Amended): A method according to Claim 17, wherein the ~~target application device~~ is an image forming device and the interface is an operation panel of the image forming device.

20 (Currently Amended): A method according to Claim 17, wherein the ~~target application~~ device is an appliance and the interface is an operation panel of the appliance.

21. (Currently Amended): A method according to Claim 17, wherein the communicating step sends the log of the monitored data when the user exits the device ~~target application~~.

22. (Currently Amended): A method according to Claim 17, further comprising a step of setting a number of sessions of the device ~~target application~~ to be executed by the user prior to the communicating device communicating the log of the monitored data.

M
23. (Original): A system according to Claim 22, wherein the abstract class includes first and second derived classes, the first derived class storing data of one session and the second derived class storing data of the set number of sessions.

24. (Original): A method according to any one of Claims ~~17-23~~ 17 and 19-23, wherein the communicating step communicates the log of the monitored data by Internet mail.

25. (Currently Amended): A computer program product comprising:
a computer storage medium and a computer program code mechanism embedded in the computer storage medium for causing a computer to monitor a user's usage of an interface of a ~~target application~~ device, the interface comprising a plurality of operations to be selected by a user, comprising:

a first computer code device configured to monitor data of selecting of the plurality of operations of the interface by the user, and configured to generate a log of the monitored data, the log of the monitored data being stored in the device, and to automatically start the monitoring without requiring a connection to a receiving device to which the log of monitored data is to be sent, the log of the monitored data being in a form of an abstract class; and

A1
a second computer code device configured to receive an object derived from the abstract class including the log of the monitored data, and to automatically communicate the log of the monitored data by a unidirectional communication without requiring input from the device to which the log of the monitored data is to be sent.

26. (Canceled).

27. (Currently Amended): A computer program product according to Claim 25, wherein the ~~target-application~~ device is an image forming device and the interface is an operation panel of the image forming device.

28. (Currently Amended): A computer program product according to Claim 25, wherein the ~~target-application~~ device is an appliance and the interface is an operation panel of the appliance.

29. (Currently Amended): A computer program product according to Claim 25, wherein the second computer code device is further configured to send the log of the monitored data when the user exits the device ~~target-application~~.

30. (Currently Amended): A computer program product according to Claim 25, further comprising a third computer code device ~~target application~~ configured to set a number of sessions of the device to be executed by the user prior to the second computer code device communicating the log of the monitored data.

AI 31. (Original): A computer program product according to Claim 30, wherein the abstract class includes first and second derived classes, the first derived class storing data of one session and the second derived class storing data of the set number of sessions.

32. (Original): A computer program product according to any one of Claims ~~25-31~~25 and 27-31, wherein the second computer code device is further configured to communicate the log of the monitored data by Internet mail.
